


BS



(11) Publication number:

**0 217 125  
A1**

(12)

## EUROPEAN PATENT APPLICATION

(21) Application number: 86111765.3

(22) Date of filing: 25.08.86

(61) Int. Cl.<sup>4</sup>: **A 01 N 25/04**  
**A 01 N 47/30, A 01 N 43/50**  
**/(A01N47/30, 43:50, 43:50),**  
**(A01N43/50, 43:50)**

(20) Priority: 27.09.85 US 780525

(42) Date of publication of application:  
08.04.87 Bulletin 87/15

(34) Designated Contracting States:  
AT BE CH DE FR GB IT LI LU NL SE

(71) Applicant: **AMERICAN CYANAMID COMPANY**  
1937 West Main Street P.O. Box 60  
Stamford Connecticut 06904-0060(US)

(72) Inventor: **Bell, Mark**  
2 Alan Grove  
Fareham Hampshire(GB)

(74) Representative: **Wächtershäuser, Günter, Dr.**  
Tel 29  
D-8000 München 2(DE)

(54) Pesticidal aqueous flowable compositions.

(57) The present invention provides chemically and physically stable pesticidal aqueous flowable compositions and a method for their preparation.

EP 0 217 125 A1

BACKGROUND OF THE INVENTION

Flowable formulations of pesticides provide a method for applying water insoluble pesticides in an aqueous spray that avoids the handling of solid formulations such as wettable powders and granules. Aqueous based flowable compositions further avoid the use of organic solvent based flowables and emulsifiable concentrate compositions.

While aqueous flowable formulations of pesticides which are applied in aqueous sprays are highly desirable, gelling, caking and settling are major problems which are frequently encountered with this type of formulation.

These and other desirable features of flowable pesticide formulation and the difficulties encountered in preparing them are summarized in United States Patent 4,348,385, which describe flowable pesticide formulations in selected solvents, which are miscible with water, and United States Patent 4,071,617 describes aqueous based flowable pesticide formulations, which utilize vinyl alcohol/vinyl acetate polymers to obtain stability under mixing conditions.

It is an object of this invention to provide stable, aqueous flowable concentrate compositions of pesticides and a method for preparing said compositions.

SUMMARY OF THE INVENTION

The present invention is novel aqueous flowable compositions comprising 10% to 40% on a weight to volume basis of a finely ground particulate pesticide or mixture of pesticides suspended in an aqueous solution containing 5 to 40% by weight of a surfactant; 1.0% to 8.0% on a weight to volume basis of a wetting and/or dispersing agent and optionally containing 0.5% to 1.5% of an antifoam agent and 1% to 10% of an antifreezing agent.

Stable aqueous flowable concentrates of solid pesticides may be prepared without the use of additional thickening agents such as clays and soluble gums, which are normally used to prevent or slow settling, by utilizing aqueous solutions containing 5% to 40% by weight of surfactants which as 25% aqueous solutions have kinematic viscosities of about 5 to about 100 centistokes as the vehicle for the flowable composition. Surfactants giving kinematic viscosities in the above approximate range permit the use of sufficient quantities of said surfactants to obtain aqueous flowable concentrate compositions containing on a weight to volume basis 10% to 40% of solid finely ground pesticides, 1.0% to 8.0% of wetting dispersing agents and optionally 0.5% to 2.0% of antifoam agents, and 1% to 10% antifreezing agents such as glycols and alcohols, having viscosities of from 600 to 6,000 centipoises and preferably 1,000 to 3,500 centipoises as measured by a Brookfield viscometer, with a number 2 spindle at 6 rpm at 20°C, which resist settling of the solid components and do not gel. The kinematic viscosities of these surfactants measured as a 25% aqueous solution, allows the incorporation of high levels of surfactants in the final aqueous flowable pesticidal compositions, without causing them to become too viscous to process and use easily. The incorporation of high levels of surfactant provides the additional benefit that surfactants need not be incorporated during dilution of the flowable composition in a spray tank prior to application, making the compositions of this invention easier and safer to apply.

Surfactants suitable for use in compositions of the invention include polyoxyethylene alkyl phenols, polyoxyethylene styryl phenyl ether salts, polyoxyethylene fatty acids, polyoxyethylene alcohols and the like. Preferred  
5 surfactants for use in compositions of this invention are non-ionic, with the polyoxyethylene nonyl phenols containing 9 to 13 moles of ethoxylation and mixtures thereof being most preferred.

The pesticides that may be used in these stable  
10 concentrated flowables must be solids having essentially no significant water solubility (i.e., less than about 1.0 g/100 cc H<sub>2</sub>O at ambient temperature) and a particle size less than 20  $\mu$ , usually in the range of 0.5 to 20  $\mu$ . Preferably such particles will range in size from 0.5  $\mu$  to 5  $\mu$ .

15 Pesticides, e.g., insecticides, fungicides, viricides, acaricides, herbicides, bactericides, and the like, having the above specifications may be used in the aqueous flowable concentrates of this invention. A representative example of a presently available pesticide which  
20 may be used in this invention is the recently introduced imidazolin-2-yl benzoate herbicide which is an isomeric mixture of methyl 6-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-m-toluate and methyl 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-p-toluate. Stable aqueous flowable  
25 concentrates containing high concentrations i.e. 20% to 35% on a weight to volume basis of this herbicide may be readily prepared by milling an aqueous slurry containing 30% to 45% by weight of the herbicide, 2.0% to 4.0% by weight of a dispersing and/or wetting agent optionally containing 0.5  
30 to 2.0% of an antifoam agent to the appropriate average particle size range of 0.5 to 20.0 microns and preferably less than 5 microns. The aqueous flowable concentrate composition is then prepared by adding any additionally  
35 desired quantities of wetting and/or dispersing agents, and

antifoam agents or antifreezing agents; and sufficient required water to total 100% of the final composition, followed by the addition to the agitated aqueous slurry, of 5% to 35% of a surfactant having a kinematic viscosity of about 5 to about 100 centistokes.

EXAMPLES 1-5

Preparation of stable aqueous flowable concentrate

A. Preparation of ground particulate aqueous slurry.

1. Calculate the quantities of each ingredient required and mix as follows: To a suitable vessel with fitted agitation, add all the water, then the antifoam agent if desired and then the wetting/dispersing agent, isomeric mixture of methyl 6-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-m-toluate, and methyl 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-p-toluate. Gradually add the technical with vigorous high-shear agitation until a mobile slurry results. Continue high shear-mixing until the particle size is suitable for milling, avoiding air entrainment during mixing.

2. Pass the slurry through a mill to give a suspension with particle size essentially 98% less than 5 microns.

3. Sample the milled slurry and analyse for active ingredient (% w/w).

B. Preparation of aqueous flowable concentrate.

1. Calculate the weight of milled slurry required for the final product and add it to a suitable vessel fitted with efficient agitation.

2. Calculate the extra quantities if any of wetting/dispersing agent, antifoam and antifreeze required in the final product and add them to the slurry and until the mixture is homogeneous.

3. Calculate the quantity of extra water required and add it to the vessel and mix until homogeneous.

4. Gradually add and dissolve the required amount of surfactant having a kinematic viscosity of 5 to 100 centistokes and mix, avoiding with vigorous agitation.

5. Mix thoroughly until all the surfactant is dissolved and a smooth, uniform product is obtained.

Utilizing the above procedure yields the stable aqueous flowable compositions listed in Table I below.

TABLE I  
Aqueous flowable concentrate compositions

Isomeric mixture of	Ex. 1 (g/l)	Ex. 2 (g/l)	Ex. 3 (g/l)	Ex. 4 (g/l)	Ex. 5 (g/l)
Methyl 6-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-m-toluate and methyl 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-toluate	340.0	283.3	340.0	283.3	226.7
Polyethoxylated nonylphenol (11 moleO) viscosity 15 centerstokes as a 25% aqueous solution non-ionic surfactant	120.0	160.0	150.0	200.0	200.0
Wetting/dispersing agent (polyethoxylated polyarylphenol phosphate, neutralized with triethanolamine)	40.0	40.0	40.0	40.0	40.0
Silicone antifoam agent	7.5	7.5	7.5	7.5	7.5
Water (Balance)	532.5	539.2	499.2	499.2	555.8
Stability:					
Storage time	Example No	Average percent recovery			
One Month	1 - 5	28°C	37°C	50°C	
Two Months	3 & 5	100.0	98.0	97.0	
		99.0	98.0	98.0	

TABLE II  
Polyoxyethylene nonylphenols suitable for use  
in compositions of the invention

Average Ethoxylation (moles)	Kinematic viscosity (25% aqueous solution) centistokes
9.5	102
9.5	87
10.0	53
10.0	43
10.0	22
10.5	18
11.0	30
12.0	13



EXAMPLE 6Preparation of stable aqueous flowable concentrate compositions

Utilizing the procedure of examples and substituting the polyethoxylated nonylphenols having varying moles of ethoxylation and kinematic viscosities of 13 to 100 centistokes as a 25% aqueous solution listed in Table II below for the surfactant utilized in Example 1 yields stable aqueous flowable concentrate compositions of methyl 6-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-m-toluate and methyl 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-p-toluate.

EXAMPLE 7-8

Utilizing the procedures of examples 1-5 and substituting the mixed polyoxyethylene nonylphenol with 10 to 12 moles of ethoxylation and a polyoxyethylene styrylphenyl ether sulphate which as a 25% aqueous solution has a kinematic viscosity of about 8 centistokes, for the polyoxyethylene nonylphenols employed in those examples yields the stable aqueous flowable compositions listed in Table III below.

EXAMPLE 9-10

Utilizing the procedure of Examples 1-5, utilizing mixtures of herbicides yields the stable aqueous flowable compositions listed in Table IV below.

TABLE III  
Aqueous flowable concentrate compositions

<u>Composition</u>	<u>Example 7</u> <u>% w/v</u>	<u>Example 8</u> <u>% w/v</u>
Methyl 6-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-m-toluate methyl 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-p-toluate	33.1	33.1
Wetting/dispersing agent polyoxyethylene glycol sulfate	4.0	4.0
Polyoxyethylene styrylphenylether sulfate	11.25	3.0
Polyoxyethylene nonylphenol 10-12 moles of ethoxylation	0.0	11.5
Ethylene glycol	5.0	5.0
Water	To 100%	To 100%

TABLE IV

Note: The following mixtures can also be prepared

Composition	Example 8 % w/v	Example 9 % w/v	Example 10 % w/v
Methyl 6-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-m-toluate	10.0	10.0	5.3
methyl 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-p-toluate			
N,N-dimethyl-N'-[4-(1-methylethyl)phenyl]-urea	25.0	-	-
N'-(3-chloro-4-methylphenyl)-N,N-dimethyl-urea	-	25.0	-
N'-(3-chloro-4-methoxyphenyl)-N,N-dimethyl-urea	-	-	32.0
Polyoxyethylene styryl-phenylether sulfate	4.0	4.0	4.0
Polyoxyethylene nonyl-phenol 11 moles of ethoxylation	10.0	10.0	10.0
Ethylene glycol	8.0	8.0	8.0
Silicone antifoam agent	0.75	0.75	0.75
Water	To 100%	To 100%	To 100%

30,167

WHAT IS CLAIMED IS:

1. A pesticidal aqueous flowable concentrate composition comprising on a weight to volume basis 10% to 40% of a finely ground particulate pesticide or mixture of pesticides suspended in an aqueous solution, containing 5% to 40% by weight of surfactant having a kinematic viscosity of about 5 to about 100 centistokes as the vehicle for the flowable composition.
2. A pesticidal aqueous flowable concentrate composition according to Claim 1, having a viscosity of 600 to 6,000 centipoises as measured by a Brookfield Viscometer with a number 2 spindle, at 6 rpm, at 20°C, wherein the particle size of the pesticide is in the range of 0.5 to 20 microns.
3. A composition according to Claim 2, wherein the particle size of greater than 95% of the pesticide is 5 microns or less and the surfactant is a non-ionic surfactant; additionally containing on a weight to volume basis based on the total composition, 1% to 8.0% of a wetting/dispersing agent; 0.5 to 2.0% of an antifoam agent and 0.0 to 10% of an antifreezing agent.
4. A composition according to Claim 3, wherein the surfactant is a polyoxyethylene nonylphenol having 9 to 13 moles of ethoxylation or mixtures thereof and the pesticide is an isomeric mixture of methyl 6-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-m-toluate and methyl 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-p-toluate.

5. A composition according to Claim 3, wherein the pesticides are a mixture of N,N-dimethyl-N'-[4-(1-methylethyl)phenyl]urea and an isomeric mixture of methyl 6-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-m-toluate and methyl 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-p-toluate.

6. A composition according to Claim 3, wherein the pesticides are a mixture of N'-(3-chloro-4-methylphenyl)-N,N-dimethylurea and an isomeric mixture of methyl 6-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-m-toluate and methyl 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-p-toluate.

7. A composition according to Claim 3, wherein the pesticides are a mixture of N'-(3-chloro-4-methoxyphenyl)-N,N-dimethylurea and an isomeric mixture of methyl 6-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-m-toluate and methyl 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-p-toluate.

8. A composition according to Claim 4, having a viscosity of 1,000 to 3,500 centipoises as measured with a Brookfield viscometer with a number 2 spindle, at 6 rpm, at 20°C.

9. A method for the preparation of a pesticidal aqueous flowable concentrate composition comprising milling an aqueous slurry containing 30% to 45% by weight of the pesticide or mixture of pesticides, 2.0% to 4.0% by weight of a dispersing and/or wetting agent containing

0.0 to 2.0% of an antifoam agent to the appropriate average particle size range of 0.5 to 20.0 microns, adding any additionally desired quantities of wetting and/or dispersing agents, and antifoam agents or anti-freezing agents; and sufficient required water to total 100% of the final composition, agitating the aqueous slurry and adding 5% to 35% of a surfactant which as a 25% aqueous solution has a kinematic viscosity of about 5 to about 100 centistokes to the agitated aqueous slurry.

10. A method according to Claim 9, wherein the surfactant is a polyoxyethylene nonylphenol having 9 to 13 moles of ethoxylation and the pesticide is an isomeric mixture of methyl 6-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-m-toluate and methyl 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-p-toluate, alone or in combination with N,N-dimethyl-N'-[4-(1-methylethyl)phenyl]urea or N'-(3-chloro-4-methylphenyl)-N,N-dimethylurea or N'-(3-chloro-4-methoxyphenyl)-N,N-dimethylurea.



European Patent  
Office

# EUROPEAN SEARCH REPORT

0217125

Application number

EP 86 11 1765

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int Cl 4)
D,A	US-A-4 348 385 (J. SYNEK) * Column 7, line 66 - column 8, line 10; claims *	1-3	A 01 N 25/04 A 01 N 47/30 A 01 N 43/50 (A 01 N 47/30
D,A	US-A-4 071 617 (T.M. GRAVES et al.) * Claims *	1-3	A 01 N 43:50 A 01 N 43:50 (A 01 N 43/50 A 01 N 43:50
P,X	EP-A-0 163 598 (CIBA-GEIGY) * Page 6, line 34 - page 7, line 5; page 13, line 12 - page 14, line 11; claims 1-3,5-8,14,15 *	1-8	
A	US-A-2 556 820 (A.H. NEASE) * Column 1, line 53 - column 2, line 35; example 1; claims 1,3,6,7 *	1	
A	FR-A-2 452 250 (KAO SOAP CO. LTD.) * Page 6, line 15 - page 7, line 21; claims *	1-4,8	A 01 N
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 12-01-1987	Examiner FLETCHER A.S.
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

